GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Certain allegations of irregularities in construction of storm water drains in Machilipatnam Municipality - Disciplinary proceedings instituted against Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur under Rule 20 of APCS (CC&A) Rules, 1991 – Articles of charges issued – Inquiry conducted – Charges held not proved – Accepted - Further action dropped – Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.RT.No. 108 **Dated: 16-03-2021**

Read the following:-

1. G.O.Rt.No.430, MA&UD (Vig.I.I) Department, dated.08.06.2017.
2. From Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur, dated: 23.10.2017.
3. G.O.Rt.Nos.123, MA&UD (Vig.II) Department, dated.05.02.2018.
4. Enquiry Report from Sri G.Yohan, Chief Engineer & Enquiry Officer, Vijayawada, Lr.No.547/CE/APRSCL/2018, dated.12.07.2019.
5. Govt. Memo.No.2131/Vig.II/2015, MA&UD (Vig.II) Dept., Dated.13.07.2020.
6. Written representation of Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur, dated: Nil.

***

O R D E R:

Whereas, in the reference 1st read above, Government have initiated Departmental Proceedings under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 against Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur, on the allegations of irregularities in construction of storm water drains in Machilipatnam Municipality.

2. Whereas, in the reference 2nd read above, the charged officer has submitted his written statement of defence and while denying the charges framed against him, he has requested to drop further action.

3. Whereas, Government having examined the written statement of defence submitted by the charged officer and found it not convincing, issued orders vide reference 3rd read above, appointing Inquiry Officer to inquire into the charges framed against the charged officer under Rule 20 of A.P. Civil Services (CC&A) Rules, 1991 and to submit the report to the Government.

4. Whereas, in the reference 4th read above, the Inquiry Officer has submitted his Inquiry Report stating that all the charges framed against Sri M.A.Shukoor, the then Superintendent Engineer are not held proved.

(P.T.O)

5. The Government have examined the Inquiry Report in detail and decided to accept the findings submitted in the reference 4th read above. After following due procedure under Rule 21 (2) of A. P. Civil Services (CC&A) Rules, 1991, the Government after careful examination of the matter and keeping in view of the findings of Inquiry Report of the Inquiry Officer and the written representation of the Charged officer thereon, it has been decided to drop further action against Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur.

6. Now, therefore, Government hereby order to drop further action against Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle, Guntur.

7. The Engineer-in-Chief (PH), A.P, Guntur, shall take necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri M.A.Shukoor, the then Superintendent Engineer (PH), Quality Control Circle,
Guntur - **through** the Engineer-in-Chief (PH), A.P, Guntur.
The Engineer-in-Chief (PH), A.P, Tadepalli.

Copy to:
The PS to M(MA&UD).
The Secretary to A.P.V.C., 5th Building, A.P. Secretariat, Velagapudi.
SC / SF.

// FORWARDED BY ORDER //

SECTION OFFICER.